

# Mobile Computer Workstation Hummingbird CTM Basic Cart



## Technical Specifications

### Load Capacity

#### Front Load (Figures 4 & 5):

- 55 lbs (24.95 kg) fixed mount within 1.2" (3.04 cm) from CTM post, or
- 17.5 lbs (7.94 kg) fixed mount up to 8.5" (21.59 cm) reach, or pivot at 8.5" (21.59 cm) from the CTM post with 14.0" (35.56 cm) reach
- 10 lbs (4.54 kg) pivot at 1.2" (3.04 cm) from CTM post with 5.3" (13.46 cm) reach

**Rear Load:** 5 lbs (2.27 kg) with maximum 2.0" (5.08 cm) offset from the CTM post

### Workflow

Modular and flexible to accommodate changing workflows

### Maintenance

- Designed with infection control and prevention standards using non-porous, easy-to-clean materials (aluminum, steel, ABS plastic, and nylon)
- Use Caviwipes or other disinfectant wipes (no abrasives, solvents, or trichloroethylene)

### Ergonomics

Optional directional caster to enhance steering ability

### Cable Management

- Concealed with an integrated easy-to-clean channel cover and cable management throughout the length of the channel/track
- Covers can be easily removed and reinstalled

### Base

Sturdy H-shape low profile metal base

### Caster

4 total-locking casters

### Key Dimensions

#### Outside Dimensions:

- **60" CTM Cart:** 20.0" (50.80 cm) W x 20.0" (50.80 cm) L x 57.3" (145.47 cm) H (**Figure 1**)
- **48" CTM Cart:** 20.0" (50.80 cm) W x 20.0" (50.80 cm) L x 45.3" (115.04 cm) H (**Figure 2**)

#### CTM Channel Usable Length:

- **60" CTM Cart:** 48.5" (123.90 cm)
- **48" CTM Cart:** 36.5" (92.80 cm)

**Base:** 20.0" (50.79 cm) W x 20.2" (51.36 cm) L (**Figure 3**)

**Footprint:** 24.9" (63.15 cm) W x 25.9" (65.66 cm) L

**Ground Clearance:** 6.3" (16.21 cm)

**Wheels:** 4 x 5.0" (12.50 cm) diameter casters

#### Physical Weight:

- **60" CTM Cart:** 55 lbs (24.95 kg)
- **48" CTM Cart:** 50 lbs (22.68 kg)

### Shipping Dimensions

#### Box 1 (Column):

- **60" CTM Cart:** 5.0" (11.60 cm) W x 5.0" (11.60 cm) L x 36.0" (91.44 cm) H
- **48" CTM Cart:** 5.0" (11.60 cm) W x 5.0" (11.60 cm) L x 48.0" (121.92 cm) H

**Box 2 (Base):** 22.5" (57.15 cm) W x 22.5" (57.15 cm) L x 10.0" (25.40 cm)

### Shipping Weight

#### Box 1 (Column):

- **60" CTM Cart:** 20 lbs (9.07 kg)
- **48" CTM Cart:** 15 lbs (6.80 kg)

**Box 2 (Base):** 35 lbs (15.88 kg)

### Warranty

5-Year Warranty

# Drawings

Figure 1: Hummingbird CTM 60" Cart




Figure 2: Hummingbird CTM 48" Cart




Figure 3: Base & Footprint




Figure 4: Load Rating With Zones (Fixed Mount)





Figure 5: Load Rating With Zones (Swivel Mount)



Please visit [www.amico.com](http://www.amico.com) for all technical specifications, installation instructions, detailed AutoCAD drawings, and more Mounting Solutions.



Distributed By: