Solar Series - MRI

2' x 8' RGB

LED Illuminated Image Wall Fixture


MRI Compatible

Product Description

The LED Illuminated Image Wall Fixture is designed for MRI suite applications. It is a non-ferrous assembly which can be mounted within the MRI room. It is pre-engineered with easy installation textured lenses and can have applied artwork image graphics. Contains no on-board electronics therefore will not interfere with MRI imaging. Certified to meet MRI vendor EMI requirements. MRI applications require EMI free emissions for specific frequency bands. All drive circuitry employs linear regulation and no pulse width modulation (PWM*).

Properties

- · Lens Uniform LED Light Diffusing Polymer
- · Housing Welded Aluminum Construction
- · Trim Laminated



Mechanical				
	Minimum	Typical	Maximum	Units
Installation	-	Direct Wall Attachment Tabs	-	-
Dimensions (Fixture)	-	88.5 x 22.5	-	inches
Dimensions (Trim)	-	90 x 24	-	inches
Drywall Rough Opening	-	89 x 23	-	inches
Fixture Weight	-	<100	-	lbs

Electrical				
	Minimum	Typical	Maximum	Units
Input Voltage	-	12	=	Vdc
Input Current	-	4.48	-	A
Input Power	-	54	-	W
BTU	-	184	-	BTU/hr

Compliance				
	Minimum	Typical	Maximum	Units
IP	25	-	-	Dry Location
Regulatory Compliance		Listed		UL2108 CSA C22.2#250.0
RoHS		Pending		2011/65/EU

Environmental				
	Minimum	Typical	Maximum	Units
Storage Temperature	-40	25	85	С
Operating Temperature	-20	25	35	С
Humidity	5	-	95	%
Lifespan	50000	-	-	Hours
Warranty	3	-	-	Years

Installation Notes

An Amico RF Filter is required for proper operation in the MRI suite
An Amico Power Supply is required for proper operation in the MRI suite
*PWM is known to cause image artifacts, audible noise and light flicker







Ordering Information

Part Number

1-07-000144 - Left Bamboo

1-07-000143 - Right Bamboo


1-07-000145 - Left Blossom

1-07-000150 - Right Blossom



Photometric Data and IES Distribution				
	Minimum	Typical	Maximum	Units
Luminous Intensity (Red)/LED	400	-	-	mcd
Luminous Intensity (Green)/LED	900	-	-	mcd
Luminous Intensity (Blue)/LED	300	-	-	mcd
Wavelength (Red)	-	620	-	nm
Wavelength (Green)	-	520	-	nm
Wavelength (Blue)	-	460	-	nm
Viewing Angle	-	120	-	deg

Mechanical Dimensions*





^{*}For informational purposes only. Content subject to change.